

# Discrete Event Systems

## Exercise Sheet 5

### 1 Revisiting Context-Free Grammars

Consider the context-free languages from last week (cf. Exercise 4.1) on the alphabet  $\Sigma = \{0, 1\}$ :

- a)  $L_1 = \{w \mid \text{the length of } w \text{ is odd}\}$
- b)  $L_2 = \{w \mid \text{contains more 1s than 0s}\}$

For each of them, give a context-free grammar in Chomsky Normal Form (CNF) and try finding a grammar with the minimum number of non-terminal symbols. If possible, give a right-linear and a left-linear grammar for the language.

### 2 Regular, Context-Free or Not?

For the following languages, determine whether they are context free or not. Prove your claims!

- a)  $L = \{1^k \mid k \text{ prime}\}$
- b)  $L = \{w\#x\#y\#z \mid w, x, y, z \in \{a, b\}^* \text{ and } |w| = |z|, |x| = |y|\}$
- c)  $L = \{w\#x\#y\#z \mid w, x, y, z \in \{a, b\}^* \text{ and } |w| = |y|, |x| = |z|\}$
- d)  $L = \{x \mid x \in \{0, 1\}^*, \text{ and } x \text{ contains an even number of '0's and an even number of '1's}\}$

### 3 Tandem-Pumping Lemma [Exam HS21]

Given the alphabet  $\Sigma = \{0, 1, \#\}$ , consider the language:

$$L = \{a\#b\#c \mid a, b, c \in \{0, 1\}^*, c = 2a, \#_0(b) = \#_0(c)\}$$

for unsigned binary numbers  $a$ ,  $b$ , and  $c$ . For example,  $0\#10\#0 \in L$  and  $1\#00\#010 \in L$ .

Recall:  $\#_0(w)$  denotes the number of occurrences of the symbol  $0 \in \Sigma$  in a word  $w \in \Sigma^*$ .

- a) Show that  $w = 1^p\#0\#1^p0$  is tandem-pumpable in  $L$ .  
*Hint: Split up  $w = uvxyz$  such that  $x = \#0\#$ .*
- b) Use the tandem-pumping lemma to show that  $L$  is not context-free.  
*Hint: Choose a string  $w = a\#b\#c$  where  $1 \notin b$ , i.e.  $b \in 0^*$ .*
- c) Can we use any string  $w = a\#b\#c$  where  $b = b_11b_2$  to apply the tandem-pumping lemma?

## 4 Java is not regular! [Bonus question]

Prove that the programming language `java` is not regular! More precisely, show that a single statement in `java` cannot be recognized by a regular language.

*Hint: Assume that strings in your program do not contain the symbols “{” or “}”.*