

Chapter 17

Byzantine Agreement

In order to make flying safer, researchers studied possible failures of various sensors and machines used in airplanes. While trying to model the failures, they were confronted with the following problem: Failing parts did not just crash, instead they sometimes showed an unusual behavior before stopping completely. With these insights researchers proposed a more general failure model.

Definition 17.1 (Byzantine). *A node that can exhibit arbitrary behavior is called **byzantine**. This includes “anything imaginable”, e.g., not sending any messages at all, or sending different and wrong messages to different neighbors, or lying about the input value.*

Remarks:

- Byzantine behavior also includes collusion, i.e., all byzantine nodes are being controlled by the same adversary.
- We assume that any two nodes communicate directly, and that no node can forge an incorrect sender address. This is a requirement, such that a single byzantine node cannot simply impersonate all nodes!
- We call non-byzantine nodes *correct* nodes.

Definition 17.2 (Byzantine Agreement). *Finding consensus as in Definition [16.1](#) in a system with byzantine nodes is called **byzantine agreement**. An algorithm is f -resilient if it still works correctly with f byzantine nodes.*

Remarks:

- As for consensus (Definition [16.1](#)) we also need agreement, termination and validity. Agreement and termination are straightforward, but what about validity?

17.1 Validity

Definition 17.3 (Any-Input Validity). *The decision value must be the input value of **any** node.*

Remarks:

- This is the validity definition we used for consensus, in Definition [16.1](#)
- Does this definition still make sense in the presence of byzantine nodes? What if byzantine nodes lie about their inputs?
- We would wish for a validity definition that differentiates between byzantine and correct inputs.

Definition 17.4 (Correct-Input Validity). *The decision value must be the input value of a **correct** node.*

Remarks:

- Unfortunately, implementing correct-input validity does not seem to be easy, as a byzantine node following the protocol but lying about its input value is indistinguishable from a correct node. Here is an alternative.

Definition 17.5 (All-Same Validity). *If **all** correct nodes start with the same input value v , the decision value must be v .*

Remarks:

- If the decision values are binary, then correct-input validity is induced by all-same validity.
- If the input values are not binary, but for example from sensors that deliver values in \mathbb{R} , all-same validity is in most scenarios not really useful.

Definition 17.6 (Median Validity). *If the input values are orderable, e.g. $v \in \mathbb{R}$, byzantine outliers can be prevented by agreeing on a value close to the **median** of the correct input values – how close depends on the number of byzantine nodes f .*

Remarks:

- Is byzantine agreement possible? If yes, with what validity condition?
- Let us try to find an algorithm that tolerates 1 single byzantine node, first restricted to the so-called synchronous model.

17.2 How Many Byzantine Nodes?

Algorithm 17.7 Byzantine Agreement with $f = 1$.

1: Code for node u , with input value x :

Round 1

2: Send $\mathbf{tuple}(u, x)$ to all other nodes

3: Receive $\mathbf{tuple}(v, y)$ from all other nodes v

4: Store all received $\mathbf{tuple}(v, y)$ in a set S_u

Round 2

5: Send set S_u to all other nodes

6: Receive sets S_v from all nodes v

7: $T =$ set of $\mathbf{tuple}(v, y)$ seen in at least two sets S_v , including own S_u

8: **if** y is different for every $\mathbf{tuple}(v, y)$ in T **then**

9: Let y be the smallest value in T

10: **else**

11: Let y be the smallest value that occurs at least twice in T

12: **end if**

13: Decide on value y

Remarks:

- Byzantine nodes may not follow the protocol and send syntactically incorrect messages. Such messages can easily be detected and discarded. It is worse if byzantine nodes send syntactically correct messages, but with bogus content, e.g., they send different messages to different nodes.
- Some of these mistakes cannot easily be detected: For example, if a byzantine node sends different values to different nodes in the first round; such values will be put into S_u . However, some mistakes can and must be detected: Observe that all nodes only relay information in Round 2, and do not repeat their own value. So, if a byzantine v node sends a set S_v that contains a $\mathbf{tuple}(v, y)$, this tuple must be removed by u from S_v upon receiving it (Line 6).
- Recall that we assumed that nodes cannot forge their source address; thus, if a node receives $\mathbf{tuple}(v, y)$ in Round 1, it is guaranteed that this message was sent by v .

Lemma 17.8. *If $n \geq 4$, all correct values are in T .*

Proof. With $f = 1$ and $n \geq 4$ we have at least 3 correct nodes. A correct node will see every correct value at least twice, once directly from another correct node, and once through the third correct node. So all correct values are in T . □

Lemma 17.9. *If $n \geq 4$, all correct nodes have the same set T .*

Proof. With Lemma 17.8 we know that all correct values are in T . If the byzantine node sends the same value to at least 2 other (correct) nodes, all correct nodes will see the value twice, so all add it to set T . If the byzantine node sends all different values to the correct nodes, none of these values will end up in any set T . \square

Theorem 17.10. *Algorithm 17.7 reaches byzantine agreement if $n \geq 4$.*

Proof. We need to show agreement, all-same validity and termination. With Lemma 17.9 we know that all correct nodes have the same set T , and therefore agree on the same value. With Lemma 17.8 we know that all correct values are in T . If all correct nodes have the same value, then this value occurs at least twice in T . In addition, any value from a byzantine node cannot occur twice in T since $f = 1$. Hence, if all correct nodes have the same input y , the decision value is y . So, all-same validity holds. Moreover, the algorithm terminates after two rounds. \square

Remarks:

- If $n > 4$ the byzantine node can put multiple values into T (but they are all different).
- The idea of this algorithm can be generalized for any f and $n > 3f$. In the generalization, every node sends in every of $f + 1$ rounds all information it learned so far to all other nodes. In other words, message size increases exponentially with f .
- Does Algorithm 17.7 also work with $n = 3$?

Theorem 17.11. *Three nodes cannot reach byzantine agreement with all-same validity if at most one node among them is byzantine.*

Proof. Under the assumption that all-same validity holds, we show that the agreement condition can be violated.

In order to achieve all-same validity, nodes have to deterministically decide for a value x if it is the input value of every correct node. Recall that a Byzantine node that follows the protocol is indistinguishable from a correct node. Assume a correct node sees that $n - f$ nodes including itself have an input value x . Then, by all-same validity, this correct node must deterministically decide for x .

In the case of three nodes ($n - f = 2$), a node has to decide on its own input value if another node has the same input value. Let us call the three nodes u, v and w . If correct node u has input 0 and correct node v has input 1, the byzantine node w can fool them by telling u that its value is 0 and simultaneously telling v that its value is 1. By all-same validity, this leads to u and v deciding on two different values, which violates the agreement condition. Even if u talks to v , and they figure out that they have different assumptions about w 's value, u cannot distinguish whether w or v is byzantine. \square

Theorem 17.12. *A network with n nodes cannot reach byzantine agreement with $f \geq n/3$ byzantine nodes.*

Proof. Assume (for the sake of contradiction) that there exists an algorithm A that reaches byzantine agreement for n nodes with $f \geq \lceil n/3 \rceil$ byzantine nodes. We will show that A cannot satisfy all-same validity and agreement simultaneously.

Let us divide the n nodes into three groups of size $n/3$ (either $\lfloor n/3 \rfloor$ or $\lceil n/3 \rceil$, if n is not divisible by 3). Assume that one group of size $\lceil n/3 \rceil \geq n/3$ contains only Byzantine and the other two groups only correct nodes. Let one group of correct nodes start with input value 0 and the other with input value 1. As in Theorem [17.11](#), the group of Byzantine nodes supports the input value of each node, so each correct node observes at least $n - f$ nodes that support its own input value. Because of all-same validity, every correct node has to deterministically decide on its own input value. Since the two groups of correct nodes have different input values, the nodes will decide on different values respectively, thus violating the agreement property. \square

17.3 The King Algorithm

Algorithm 17.13 King Algorithm (for $f < n/3$)

```

1:  $x =$  my input value
2: for phase = 1 to  $f + 1$  do
    Vote
3: Broadcast value( $x$ )
    Propose
4: if some value( $y$ ) received at least  $n - f$  times then
5:   Broadcast propose( $y$ )
6: end if
7: if some propose( $z$ ) received more than  $f$  times then
8:    $x = z$ 
9: end if
    King
10: Let node  $v_i$  be the predefined king of this phase  $i$ 
11: The king  $v_i$  broadcasts its current value  $w$ 
12: if received strictly less than  $n - f$  propose( $y$ ) then
13:    $x = w$ 
14: end if
15: end for

```

Lemma 17.14. Algorithm [17.13](#) satisfies all-same validity.

Proof. If all correct nodes start with the same value, all correct nodes propose it in Line [5](#). All correct nodes will receive at least $n - f$ proposals, i.e., all correct nodes will stick with this value, and never change it to the king's value. This holds for all phases. \square

Lemma 17.15. If a correct node proposes x , no other correct node proposes y , with $y \neq x$, if $n > 3f$.

Proof. Assume (for the sake of contradiction) that a correct node proposes value x and another correct node proposes value y . Since a correct node only proposes a value if it heard at least $n - f$ `value` messages, we know that both nodes must have received their value from at least $n - 2f$ distinct correct nodes (as at most f nodes can behave byzantine and send x to one node and y to the other one). Hence, there must be a total of at least $2(n - 2f) + f = 2n - 3f$ nodes in the system. Using $3f < n$, we have $2n - 3f > n$ nodes, a contradiction. \square

Lemma 17.16. *There is at least one phase with a correct king.*

Proof. There are $f + 1$ phases, each with a different king. As there are only f byzantine nodes, one king must be correct. \square

Lemma 17.17. *After a phase with a correct king, the correct nodes will not change their values v anymore, if $n > 3f$.*

Proof. If all correct nodes change their values to the king's value, all correct nodes have the same value. If some correct node does not change its value to the king's value, it received a proposal at least $n - f$ times, therefore at least $n - 2f$ correct nodes broadcast this proposal. Thus, all correct nodes received it at least $n - 2f > f$ times (using $n > 3f$), therefore all correct nodes set their value to the proposed value, including the correct king. Note that only one value can be proposed more than f times, which follows from Lemma 17.15. With Lemma 17.14, no node will change its value after this phase. \square

Theorem 17.18. *Algorithm 17.13 solves byzantine agreement.*

Proof. The king algorithm reaches agreement as either all correct nodes start with the same value, or they agree on the same value at the latest after the phase where a correct node was king according to Lemmas 17.16 and 17.17. Because of Lemma 17.14 we know that they will stick with this value. Termination is guaranteed after $3(f + 1)$ rounds, and all-same validity is proved in Lemma 17.14. \square

Remarks:

- Algorithm 17.13 requires $f + 1$ predefined kings. We assume that the kings (and their order) are given. Finding the kings indeed would be a byzantine agreement task by itself, so this must be done before the execution of the King algorithm.
- Do algorithms exist that do not need predefined kings? Yes, see Section 17.4

17.4 Asynchronous Byzantine Agreement

Lemma 17.20. *Let a correct node choose value x in Line 10, then no other correct node chooses value $y \neq x$ in Line 10.*

Proof. For the sake of contradiction, assume that both 0 and 1 are chosen in Line 10. This means that both 0 and 1 must have been proposed by more than $n/2$ correct nodes. In other words, we have more than $2 \cdot n/2 = n$ correct nodes, a contradiction! \square

Algorithm 17.19 Asynchronous Byzantine Agreement (Ben-Or, for $f < n/10$)

```

1:  $x_u \in \{0, 1\}$            $\triangleleft$  input bit
2: round = 1               $\triangleleft$  round
3: while true do
4:   Broadcast propose( $x_u$ , round)
5:   Wait until  $n - f$  propose messages of current round arrived
6:   if  $> n/2 + 3f$  propose messages contain same value  $x$  then
7:     Broadcast propose( $x$ , round + 1)
8:     Decide for  $x$  and terminate
9:   else if  $> n/2 + f$  propose messages contain same value  $x$  then
10:     $x_u = x$ 
11:   else
12:    choose  $x_u$  randomly, with  $Pr[x_u = 0] = Pr[x_u = 1] = 1/2$ 
13:   end if
14:   round = round + 1
15: end while

```

Theorem 17.21. Algorithm [17.19](#) solves binary byzantine agreement as in Definition [17.2](#) for up to $f < n/10$ byzantine nodes.

Proof. First note that it is not a problem to wait for $n - f$ propose messages in Line [5](#), since at most f nodes are byzantine. If all correct nodes have the same input value x , then all (except the f byzantine nodes) will propose the same value x . Thus, every node receives at least $n - 2f$ propose messages containing x . Observe that for $f < n/10$, we get $n - 2f > n/2 + 3f$ and the nodes will decide on x in the first round already. We have established all-same validity! If the correct nodes have different (binary) input values, the validity condition becomes trivial as any result is fine.

What about agreement? Let u be the first node to decide on value x (in Line [8](#)). Due to asynchrony, another node v received messages from a different subset of the nodes, however, at most f senders may be different. Taking into account that byzantine nodes may lie (send different propose messages to different nodes), f additional propose messages received by v may differ from those received by u . Since node u received more than $n/2 + 3f$ propose messages with value x , node v has more than $n/2 + f$ propose messages with value x . Hence every correct node will propose x in the next round and then decide on x .

So we only need to worry about termination: We have already seen that as soon as one correct node terminates (Line [8](#)) everybody terminates in the next round. So what are the chances that some node u terminates in Line [8](#)? Well, we can hope that all correct nodes randomly propose the same value (in Line [12](#)). Maybe there are some nodes not choosing randomly (entering Line [10](#) instead of [12](#)), but according to Lemma [17.20](#) they will all propose the same.

Thus, $n - f$ correct nodes need to randomly choose the same bit in the worst case, which happens with probability $2^{-(n-f)+1}$. If so, all correct nodes will send the same propose message, and the algorithm terminates. So the expected running time is exponential in the number of nodes n in the worst case. \square

Remarks:

- This algorithm is a proof of concept that asynchronous byzantine agreement can be achieved. Unfortunately this algorithm is not useful in practice, because of its runtime.
- Note that for $f \in O(\sqrt{n})$, the probability for some node to terminate in Line 8 is greater than some positive constant. Thus, Algorithm 17.19 terminates within expected constant number of rounds for small values of f .
- Local coinflips are responsible for the slow runtime of Algorithm 17.19 and 16.28. Is there a simple way to replace the local coinflips by randomness that does not cause exponential runtime? This problem is revisited in Chapter 19.

Chapter Notes

The project which started the study of byzantine failures was called SIFT and was founded by NASA [WLG⁺78], and the research regarding byzantine agreement started to get significant attention with the results by Pease, Shostak, and Lamport [PSL80, LSP82]. In [PSL80] they presented the generalized version of Algorithm 17.7 and also showed that byzantine agreement is unsolvable for $n \leq 3f$. The algorithm presented in that paper is nowadays called *Exponential Information Gathering (EIG)*, due to the exponential size of the messages.

There are many algorithms for the byzantine agreement problem. For example the Queen Algorithm [BG89] which has a better runtime than the King algorithm [BGP89], but tolerates fewer failures.

While many algorithms for the synchronous model have been around for a long time, the asynchronous model is a lot harder. The only results were by Ben-Or and Bracha/Toueg. Ben-Or [Ben83] was able to tolerate $f < n/5$. Bracha/Toueg [BT85] improved this tolerance to $f < n/3$.

Nearly all developed algorithms only satisfy all-same validity. There are a few exceptions, e.g., correct-input validity [FG03], available if the initial values are from a finite domain, median validity [SW15, MW18, DGM⁺11] if the input values are orderable, or values inside the convex hull of all correct input values [VG13, MH13, MHVG15] if the input is multidimensional.

Before the term *byzantine* was coined, the terms Albanian Generals or Chinese Generals were used in order to describe malicious behavior. When the involved researchers met people from these countries they moved – for obvious reasons – to the historic term byzantine [LSP82].

Hat tip to Peter Robinson for noting how to improve Algorithm 17.7 to all-same validity. This chapter was written in collaboration with Barbara Keller.

Bibliography

- [Ben83] Michael Ben-Or. Another advantage of free choice (extended abstract): Completely asynchronous agreement protocols. In *Proceedings of the second annual ACM symposium on Principles of distributed computing*, pages 27–30. ACM, 1983.

- [BG89] Piotr Berman and Juan A Garay. *Asymptotically optimal distributed consensus*. Springer, 1989.
- [BGP89] Piotr Berman, Juan A. Garay, and Kenneth J. Perry. Towards optimal distributed consensus (extended abstract). In *30th Annual Symposium on Foundations of Computer Science, Research Triangle Park, North Carolina, USA, 30 October - 1 November 1989*, pages 410–415, 1989.
- [BT85] Gabriel Bracha and Sam Toueg. Asynchronous consensus and broadcast protocols. *Journal of the ACM (JACM)*, 32(4):824–840, 1985.
- [DGM⁺11] Benjamin Doerr, Leslie Ann Goldberg, Lorenz Minder, Thomas Sauerwald, and Christian Scheideler. Stabilizing Consensus with the Power of Two Choices. In *Proceedings of the Twenty-third Annual ACM Symposium on Parallelism in Algorithms and Architectures, SPAA, June 2011*.
- [FG03] Matthias Fitzi and Juan A Garay. Efficient player-optimal protocols for strong and differential consensus. In *Proceedings of the twenty-second annual symposium on Principles of distributed computing*, pages 211–220. ACM, 2003.
- [LSP82] Leslie Lamport, Robert E. Shostak, and Marshall C. Pease. The byzantine generals problem. *ACM Trans. Program. Lang. Syst.*, 4(3):382–401, 1982.
- [MH13] Hammurabi Mendes and Maurice Herlihy. Multidimensional Approximate Agreement in Byzantine Asynchronous Systems. In *Proceedings of the Forty-fifth Annual ACM Symposium on Theory of Computing, STOC, June 2013*.
- [MHVG15] Hammurabi Mendes, Maurice Herlihy, Nitin Vaidya, and Vijay K. Garg. Multidimensional agreement in Byzantine systems. *Distributed Computing*, 28(6):423–441, January 2015.
- [MW18] Darya Melnyk and Roger Wattenhofer. Byzantine Agreement with Interval Validity. In *37th Annual IEEE International Symposium on Reliable Distributed Systems (SRDS), Salvador, Bahia, Brazil, October 2018*.
- [PSL80] Marshall C. Pease, Robert E. Shostak, and Leslie Lamport. Reaching agreement in the presence of faults. *J. ACM*, 27(2):228–234, 1980.
- [SW15] David Stolz and Roger Wattenhofer. Byzantine Agreement with Median Validity. In *19th International Conference on Principles of Distributed Systems (OPODIS), Rennes, France, 2015*.
- [VG13] Nitin H. Vaidya and Vijay K. Garg. Byzantine Vector Consensus in Complete Graphs. In *Proceedings of the 2013 ACM Symposium on Principles of Distributed Computing, PODC, July 2013*.

- [WLG⁺78] John H. Wensley, Leslie Lamport, Jack Goldberg, Milton W. Green, Karl N. Levitt, P. M. Melliar-Smith, Robert E. Shostak, and Charles B. Weinstock. Sift: Design and analysis of a fault-tolerant computer for aircraft control. In *Proceedings of the IEEE*, pages 1240–1255, 1978.