

FS 2008

Prof. R. Wattenhofer / Dr. F. Kuhn / T. Locher / Y. A. Oswald / C. Lenzen

Principles of Distributed Computing Exercise 10

1 Pancake Networks

In the lecture, you have encountered several different graphs as underlying network structures for peer-to-peer (P2P) networks. Here, we will look at another prominent example, the $Pancake graph^1 P_n$.

The pancake graph P_n is defined as follows: The vertex set is

$$V(P_n) = \{v_1 v_2 \dots v_n \mid v_i \in [n] \text{ and } v_i \neq v_j \ \forall i \neq j\}$$

$$\tag{1}$$

where we use $[n] = \{1, 2, ..., n\}$. In other words, $V(P_n) = S_n$, the group of all permutations on n elements. There exists an edge of dimension i for $1 \le i \le n$ when

$$e_i = (u_1 u_2 \dots u_i \dots u_n, v_1 v_2 \dots v_i \dots v_n) \in E(P_n) \iff v_j = u_{i-j+1} \text{ for } 1 \le j \le i \text{ and } v_j = u_j \text{ for } i < j \le n \quad (2)$$

or, we can say that an edge e_i represents a prefix reversal

$$v_1 v_2 \dots v_i v_{i+1} \dots v_n \longleftrightarrow v_i \dots v_2 v_1 v_{i+1} \dots v_n.$$
 (3)

For the following questions, where appropriate, give your answers in terms of $N := |V(P_n)|$ (approximately), the number of vertices, as well as n.

- a) Draw (nicely!) P_n for n = 2, 3, 4. Try to describe a pattern for drawing P_n for any n.
- **b)** What is the degree of each vertex in P_n ?
- c) Can you give bounds on the diameter $D(P_n)$ of the pancake network?
- d) Show that P_n is Hamiltonian for $n \geq 3$.
- e) How can the pancake graph be used to implement a distributed hash table (DHT)? In other words, where are files, indexed by bitstrings of a certain length b, stored in the pancake graph, and how can these files be looked up (given the corresponding bitstring)?²

The pancake graph has been proposed for P2P networks partly because of the properties analyzed in this exercise.

 $^{^1}$ A well-known paper about pancake graphs was originally written in 1976 by a 21 year old college dropout (later to become a famous entrepreneur) and a Ph.D. student (later to become a famous scholar):

W. Gates and C. Papadimitriou. Bounds for Sorting by Prefix Reversal. Discrete Math., 27:4757, 1979.

 $^{^2}$ You can ignore churn in this exercise.