

Eidgenössische Technische Hochschule Zürich Swiss Federal Institute of Technology Zurich



FS 2011

Prof. R. Wattenhofer Remo Meier

Principles of Distributed Computing Exercise 14

1 Pancake Networks

In the lecture, you have encountered several different graphs as underlying network structures for peer-to-peer (P2P) networks. Here, we will look at another prominent example, the $Pancake graph^1 P_n$.

The pancake graph P_n is defined as follows: The vertex set is

$$V(P_n) = \{(v_1, v_2, \dots, v_n) \mid v_i \in \{1, \dots, n\} \text{ and } v_i \neq v_j \ \forall i \neq j\}.$$

In other words, $V(P_n) = S_n$, the group of all permutations on n elements. There exists an edge of dimension i for $2 \le i \le n$ when

$$e_i = \{(v_1, \dots, v_i, \dots, v_n), (w_1, \dots, w_i, \dots, w_n)\} \in E(P_n) \iff w_j = v_{i-j+1} \text{ for } 1 \le j \le i \text{ and } w_j = v_j \text{ for } i < j \le n,$$

or, we can say that an edge e_i represents a prefix reversal

$$(v_1, \dots, v_i, v_{i+1}, \dots, v_n) \longleftrightarrow (v_i, \dots, v_1, v_{i+1}, \dots, v_n). \tag{1}$$

For the following questions, where appropriate, give your answers in terms of $N := |V(P_n)|$ (approximately), the number of vertices, as well as n.

- a) Draw (nicely!) P_n for n = 2, 3, 4. Try to describe a pattern for drawing P_n for any n.
- **b)** What is the degree of each vertex in P_n ?
- c) Can you give bounds on the diameter $D(P_n)$ of the pancake network?
- **d)** Show that P_n is Hamiltonian for $n \geq 3$.
- e) How can the pancake graph be used to implement a distributed hash table (DHT)? In other words, where are files, indexed by bitstrings of a certain length b, stored in the pancake graph, and how can these files be looked up (given the corresponding bitstring)?²

The pancake graph has been proposed for P2P networks partly because of the properties analyzed in this exercise.

¹A well-known paper about pancake graphs was originally written in 1976 by a 21 year old college dropout (later to become a famous entrepreneur) and a Ph.D. student (later to become a famous scholar):

W. Gates and C. Papadimitriou. Bounds for Sorting by Prefix Reversal. Discrete Math., 27:47-57, 1979.

 $^{^2}$ You can ignore churn in this exercise.