



# Principles of Distributed Computing

## Exercise 13

### 1 Flow labeling schemes

In this exercise, we focus on flow labeling schemes. Let  $G = \langle V, E, w \rangle$  be a weighted undirected graph where, for every edge  $e \in E$ , the weight  $w(e)$  is integral and represents the capacity of the edge. For two vertices  $u, v \in V$ , the maximum flow possible between them (in either direction), denoted  $\text{flow}(u, v)$ , can be defined in this context as follows. Denote by  $G'$  the multigraph obtained by replacing each edge  $e$  in  $G$  with  $w(e)$  parallel edges of capacity 1. A set of paths  $P$  in  $G'$  is edge-disjoint if each edge (with capacity 1) appears in no more than one path  $p \in P$ . Let  $\mathcal{P}_{u,v}$  be the collection of all sets  $P$  of edge-disjoint paths in  $G'$  between  $u$  and  $v$ . Then  $\text{flow}(u, v) = \max_{P \in \mathcal{P}_{u,v}} \{|P|\}$ .

We consider the family  $\mathcal{G}(n, \hat{w})$  of undirected capacitated connected  $n$ -vertex graphs with maximum (integral) capacity  $\hat{w}$ , and will find flow labeling schemes for this family. Given a graph  $G = \langle V, E, w \rangle$  in this family and an integer  $1 \leq k$ , let us define the following relation:

$$R_k = \{(x, y) \mid x, y \in V, \text{flow}(x, y) \geq k\}.$$

**Question 1** Show that<sup>1</sup> for every  $k \geq 1$ , the relation  $R_k$  induces a collection of equivalence classes on  $V$ ,  $C_k = \{C_k^1, \dots, C_k^{m_k}\}$ , such that  $C_k^i \cap C_k^j = \emptyset$  (if  $i \neq j$ ) and  $\bigcup_i C_k^i = V$ . What is the relationship between  $C_k$  and  $C_{k+1}$ ?

According to the solution of Question 1, given  $G$ , one can construct a tree  $T_G$  corresponding to its equivalence relations. The  $k$ 'th level of  $T$  corresponds to the relation  $R_k$ . The tree is truncated at a node once the equivalence class associated with it is a singleton. For every vertex  $v \in V$ , denote by  $t(v)$  the leaf in  $T_G$  associated with the singleton set  $\{v\}$ .

For two nodes  $x, y$  in a tree  $T$  rooted at  $r$ , we define the separation level of  $x$  and  $y$ , denoted  $\text{SepLevel}_T(x, y)$ , as the depth of  $z = \text{lca}(x, y)$ , the least common ancestor of  $x$  and  $y$ . I.e.,  $\text{SepLevel}_T(x, y) = \text{dist}_T(z, r)$ , the distance of  $z$  from the root.

**Question 2** Show that if there exists a labeling scheme for distance in trees with labeling size  $\mathcal{L}(\text{dist}, T)$ , then there is a labeling scheme for separation level with labeling size  $\mathcal{L}(\text{SepLevel}, T) \leq \mathcal{L}(\text{dist}, T) + \lceil \log m \rceil$  where  $m$  is the number of nodes in the tree. Based on this result and Theorem 13.8 (there is an  $O(\log^2 m)$  labeling scheme for distance in trees), show that  $\mathcal{L}(\text{flow}, \mathcal{G}(n, \hat{w})) = O(\log^2(n\hat{w}))$ .

**Question 3** Find a more careful design of the tree  $T_G$  which can improve the bound on the label size to  $\mathcal{L}(\text{flow}, \mathcal{G}(n, \hat{w})) = O(\log n \log \hat{w} + \log^2 n)$ . Hint: i) consider all nodes of degree 2 in the tree  $T_G$  and weighted trees, ii) naturally extend the notion of separation level to weighted rooted trees.

<sup>1</sup>As a convention,  $\text{flow}(x, x) = \infty$ .