

Chapter 7

MAC Theory

7.1 Slide 7/17

Definition 7.1. An event happens “with high probability” (w.h.p.) if it happens with probability at least $1 - 1/n^c$, for some arbitrary constant c .

Theorem 7.2. If nodes wake up in an arbitrary (worst-case) way, any algorithm may take $\Omega(n/\log n)$ time slots until a single node can successfully transmit.

Proof. Nodes must transmit at some point, or they will surely never successfully transmit. With a uniform protocol, every node executes the same code. We focus on the first slot where nodes may transmit. No matter what the protocol is, this happens with probability p . Since the protocol is uniform, p must be a constant, independent of n .

The adversary wakes up $w := \frac{c}{p} \ln n$ nodes in each time slot, with some constant c . All nodes woken up in the first time slot will transmit with probability p . We study the event E_1 that exactly one of them transmits in that first transmission slot. Using the inequality $(1 + t/n)^n \leq e^t$ we get

$$\begin{aligned} Pr[E_1] &= w \cdot p \cdot (1 - p)^{w-1} = c \ln n \cdot (1 - p)^{\frac{1}{p}(c \ln n - p)} \\ &\leq c \ln n \cdot e^{-c \ln n + p} = c \ln n \cdot n^{-c} \cdot e^p \\ &= n^{-c} \cdot O(\log n) < \frac{1}{n^{c-1}} = \frac{1}{n^{c'}}. \end{aligned}$$

In other words, w.h.p. that slot will not be successful. Let E_a be the event that all n/w slots will not be successful. Using the inequality $1 - p \leq (1 - p/k)^k$ we get

$$Pr[E_a] = (1 - Pr[E_1])^{n/w} > \left(1 - \frac{1}{n^{c'}}\right)^{\Theta(n/\log n)} > 1 - \frac{1}{n^{c''}}.$$

In other words, w.h.p. it takes more than n/w slots until some node can transmit alone. \square