



Discrete Event Systems

5.11 Competitive Lists with Move-to-Front

Consider a list L containing n items, for example the collection of your favorite records. Whenever an item x in L is requested the list is scanned from the front until x is found. Therefore the cost of accessing x is k if x is the k^{th} item in the list. In order to better respond to subsequent requests, the position of any two adjacent items in L may be swapped. Such a swap also causes cost 1. Requests to items in the list L arrive in an on-line fashion.

The on-line algorithm Move-to-Front (M2F) adheres to the following simple rule: Whenever item x is requested, M2F moves x to the front. The cost to access x when x is the k^{th} item in L is thus k for the initial scan, and $k - 1$ swaps to move it to the front, i.e., the total cost is $2k - 1$. Note that M2F does not change the relative order of items different from x . As usual, we would like to know how M2F compares to an optimal off-line algorithm OPT that knows the entire sequence of requests in advance. In the remainder of this section we establish the following theorem.

Theorem 5.19. *The algorithm Move-to-Front is strictly 4-competitive.*

Denote by OPT an optimal algorithm. We keep track of two lists L_{M2F} and L_{OPT} , i.e., the list L as it is maintained by M2F and OPT, correspondingly. Initially $L_{M2F} = L_{OPT} = L$. For the two lists L_{M2F} and L_{OPT} , an *inversion* is a pair of items (x, y) which appear in different order in L_{M2F} than in L_{OPT} .




Figure 1: The inversion (x, y) between L_{M2F} and L_{OPT} .

Our competitive analysis of M2F is carried out using the *potential method*. The potential function Φ is defined as follows.

$$\Phi := 2 \cdot (\text{number of inversions between } L_{M2F} \text{ and } L_{OPT})$$

The potential method. A potential function Φ is a tool used in *amortized analysis*. The idea is to model the *amortized cost* $\text{amortized}(op)$ of some operation op by

$$\text{amortized}(op) := \text{cost}(op) + \Delta\Phi(op),$$

where $\text{cost}(op)$ is the *actual cost* of op , and $\Delta\Phi(op)$ is the change of potential caused by op . For the competitive analysis of an on-line algorithm \mathcal{A} , the total actual cost is bounded by \mathcal{A} 's the total amortized cost.

Initially the potential $\Phi = 0$ since the lists are equal. In every step, Φ is non-negative since the number of inversions is non-negative. Thus the total cost of M2F is upper bounded by the total amortized cost of M2F. It therefore suffices to show that M2F's amortized cost is at most 4 times the cost of OPT. We will in fact establish this bound after every request was handled, which implies that the bound also holds for the entire request sequence.

Fix a sequence of requests and a request r in that sequence, and denote by x the item requested by r . Denote by j and k the position of x in L_{OPT} and L_{M2F} before handling r , respectively.




Figure 2: Item x in L_{M2F} and L_{OPT} before handling request r .

The cost $\text{amortized}(r)$ for M2F consists of the actual cost $\text{cost}(r)$ and the change in the potential function $\Delta\Phi(r)$. Recall that $\text{cost}(r) = 2k - 1$. The change of potential is completely determined by the inversions that are created or destroyed by the list maintenance performed by M2F and OPT, in other words $\Delta\Phi(r) = \Delta\Phi_{M2F} + \Delta\Phi_{OPT}$.

Let us first look at the contribution $\Delta\Phi_{M2F}$ to $\Delta\Phi$ caused by M2F's list maintenance. Since M2F does not change the relative order of non-requested items, all affected inversions must involve item x . Furthermore x is only swapped with items y that precede x in L_{M2F} . Let y be an item preceding x in L_{M2F} before M2F's list




Figure 3: Items x, y in L_{M2F} and L_{OPT} before handling request r .

maintenance. We say that item y is *bad* if y precedes x also in L_{OPT} , otherwise y is *good*. If y is bad, then a new inversion is created, otherwise an inversion is destroyed. There are at most $j - 1$ bad items, and therefore at least $(k - 1) - (j - 1)$ good items. Recalling that Φ counts each inversion twice, we conclude that

$$\Delta\Phi_{M2F} \leq 2 \cdot \left(j - 1 - ((k - 1) - (j - 1)) \right) = 4j - 2k - 2.$$

We still need to account for the list maintenance of OPT . Denote by s the number of swap-operations performed by OPT while handling request r . Every such swap increases $\text{cost}_{OPT}(r)$ of the optimal algorithm by exactly 1. Recall that the cost for finding item x in L_{OPT} is j , and therefore

$$\text{cost}_{OPT}(t) = j + s$$

Furthermore, every swap performed by OPT creates at most one new inversion. The contribution $\Delta\Phi_{OPT}$ to $\Delta\Phi$ is thus at most $2s$, and we can bound $\text{amortized}(r)$ as

$$\begin{aligned} \text{amortized}(r) &= \text{cost}(r) + \Delta\Phi_{M2F} + \Delta\Phi_{OPT} \\ &\leq 2k - 1 + 4j - 2k - 2 + 2s \\ &= 4j - 3 + 2s \\ &< 4j + 2s \\ &\leq 4 \cdot (j + s) = 4 \cdot \text{cost}_{OPT}(r). \end{aligned}$$

□