


Discrete Event Systems

Exercise Sheet 3


1 From DFA to Regular Expression

Build a language-equivalent GNFA for the DFA below. Then, as seen during the lecture, eliminate the intermediate states of the GNFA and derive the regular expression that represents the language accepted by the DFA.



2 Transforming Automata [Exam HS14]

Consider the following DFA over the alphabet $\Sigma = \{0, 1\}$. Give a regular expression for the language L accepted by the following automaton. If you like, you can do this by ripping out states as presented in the lecture.



3 Pumping Lemma

Which of the following languages is regular? Prove your claims!

- a) $L_1 = \{1^n 0 2^n \mid n \geq 0\}$
- b) $L_2 = \{0^a 1^b 0^c 1^d \mid a, b, c, d \geq 0 \text{ and } a = 1, b = 2 \text{ and } c = d\}$

4 Pumping Lemma Revisited

- a) Determine whether the language $L = \{1^{n^2} \mid n \in \mathbb{N}\}$ is regular. Prove your claim!
- b) Consider a regular language L and a pumping number p such that every word $u \in L$ can be written as $u = xyz$ with $|xy| \leq p$ and $|y| \geq 1$ such that $xy^i z \in L$ for all $i \geq 0$.

Can you use the pumping number p to determine the number of states of a minimal DFA accepting L ? What about the number of states of the corresponding NFA?

5 Minimum Pumping Length

Consider the regular language $L = 1^*0^+1^+0^* \cup 111^+0^+$. Give the minimum pumping length and briefly explain the intuition behind your answer.

6 The art of being regular

Assume that the alphabet Σ is $\{0, 1\}$ and consider the language $L = \{x\#y \mid x + y = 3y\}$ in which x and y are unsigned binary numbers. For instance, the string $1000\#100$ belongs to L . Is L regular? If so, exhibit a finite automaton (deterministic or not) or a regular expression recognizing it. If not, prove it formally using the pumping lemma or the closure properties of regular languages.

Bonus tasks:

- Determine whether $L = \{x\#y \mid x + y = 3y\}$ is context-free.
- Show whether $L' = \{x\#y \mid x + \text{reverse}(y) = 3 \cdot \text{reverse}(y)\}$ is context-free.
The reverse()-function takes an integer as a bitstring and reverses the order of its bits.