

# Discrete Event Systems

## Exercise Session 4



Roland Schmid

[nsg.ee.ethz.ch](mailto:nsg.ee.ethz.ch)

ETH Zürich (D-ITET)

12 October 2023

# 1 Context-Free Grammars

Give context-free grammars for the following languages over the alphabet  $\Sigma = \{0, 1\}$ :

- a)  $L_1 = \{w \mid \text{the length of } w \text{ is odd}\}$
- b)  $L_2 = \{w \mid \text{contains more 1s than 0s}\}$

## 2 Regular and Context-Free Languages

- a) Consider the context-free grammar  $G$  with the production  $S \rightarrow SS \mid 1S2 \mid 0$ . Describe the language  $L(G)$  in words, and prove that  $L(G)$  is not regular.
- b) The regular languages are a subset of the context-free languages. Give the context-free grammar for an arbitrary language  $L$  that is regular.

### 3 Push Down Automata

For each of the following context free languages, draw a PDA that accepts  $L$ .

a)  $L = \{u \mid u \in \{0, 1\}^* \text{ and } u^{reverse} = u\} = \{u \mid \text{“}u \text{ is a palindrome”}\}$

b)  $L = \{u \mid u \in \{0, 1\}^* \text{ and } u^{reverse} \neq u\} = \{u \mid \text{“}u \text{ is no palindrome”}\}$

## 4 Ambiguity

Consider the following context-free grammar  $G$  with non-terminals  $S$  and  $A$ , start symbol  $S$ , and terminals “(”, “)”, and “0”:

$$\begin{aligned} S &\rightarrow SA \mid \varepsilon \\ A &\rightarrow AA \mid (S) \mid 0 \end{aligned}$$

- What are the eight shortest words produced by  $G$ ?
- Context-free grammars can be ambiguous. Prove or disprove that  $G$  is unambiguous.
- Design a push-down automaton  $M$  that accepts the language  $L(G)$ . If possible, make  $M$  deterministic.