

## 1 Color Reduction in Vertex-Coloring

### Exercise

- (1a) Design a single-round algorithm that transforms any given  $k$ -coloring of a graph with maximum degree  $\Delta$  into a  $k'$ -coloring for  $k' = k - \lfloor \frac{k}{\Delta+2} \rfloor$ , assuming  $k' \geq \Delta + 1$ .
- (1b) Use repetitions of this single-round algorithm, in combination with the  $O(\log^* n)$ -round  $O(\Delta^2 \log \Delta)$ -vertex-coloring that we saw in class, to obtain an  $O(\Delta \log \Delta + \log^* n)$ -round  $(\Delta + 1)$ -coloring algorithm.

## 2 SuperImposed Codes

Here, we use the concept of cover free families to obtain an encoding that allows us to recover information after superimposition. That is, we will be able to decode even if  $k$  of the codewords are *superimposed* and we only have the resulting bit-wise OR.

### Exercise

- (2a) Concretely, we want a function  $Enc : \{0, 1\}^{\log n} \rightarrow \{0, 1\}^{\log m}$  — that encodes  $n$  possibilities using  $\log m$ -bit strings — such that the following property is satisfied:  $\forall S \neq S' \subseteq \{1, \dots, n\}$  such that  $|S| \leq k$  and  $|S'| \leq k$ , we have that  $\bigvee_{i \in S} Enc(i) \neq \bigvee_{i \in S'} Enc(i)$ . Here  $\bigvee$  denotes the bit-wise OR operation. Present such an encoding function, with a small  $m$ , that depends on  $n$  and  $k$ .

## 3 Yet Another Coloring

Here, we see yet another deterministic method for computing a  $(\Delta + 1)$ -coloring in  $O(\Delta \log \Delta + \log^* n)$  rounds. First, using what we saw in the class, we compute an  $O(\Delta^2 \log \Delta)$ -coloring  $\phi_{old}$  in  $O(\log^* n)$  rounds. What remains is to transform this into a  $(\Delta + 1)$ -coloring, in  $O(\Delta \log \Delta)$  additional rounds.

**Exercise** The current  $O(\Delta^2 \log \Delta)$ -coloring  $\phi_{old}$  can be written using  $C \log \Delta$  bits, assuming a sufficiently large constant  $C$ . This bit complexity will be the parameter of our recursion. Partition  $G$  into two vertex-disjoint subgraphs  $G_0$  and  $G_1$ , based on the most significant bit in the color  $\phi_{old}$ . Notice that each of  $G_0$  and  $G_1$  inherits a coloring with  $C \log \Delta - 1$  bits. Solve the  $\Delta + 1$  coloring problem in each of these independently and recursively. Then, we need to merge these colors into a  $\Delta + 1$  coloring for the whole graph.

- (A) Explain an  $O(\Delta)$ -round algorithm, as well its correctness proof, that once the independent  $(\Delta + 1)$ -colorings of  $G_0$  and  $G_1$  are finished, updates only the colors of  $G_1$  vertices to ensure that the overall coloring is a proper  $(\Delta + 1)$ -coloring of  $G = G_0 \cup G_1$ .
- (B) Provide a recursive time-complexity analysis that proves that overall, the recursive method takes  $O(\Delta \log \Delta)$  rounds.